

POLYGON NESTING AND ROBUSTNESS

Chanderjit Bajaj
Tamal Dey

CSD-TR-918
October 1989

Polygon Nesting and Robustness

Chanderjit Bajaj*,
Tarnal Dey†,

Computer Sciences Department
Purdue University
CSD-TR-918
October, 1989

* Supported in part by NSF Grant MIP 88-16286, ARO contract DAAG29-85-C-0018 under Cornell MSI and ONR contract N00014-88-K-0402.

† Supported in part by a David Ross Fellowship.

Polygon Nesting and Robustness

Chanderjit L. Bajaj^{*}

Tamal Dey[†]

Department of Computer Science
Purdue University
West Lafayette, IN 47907

1 Introduction

We consider the problem of computing the nesting structure of a set of m simple, planar polygons with n vertices and N notches (reflex angles). The polygons are mutually nonintersecting, that is they do not intersect along their boundary. This problem arises as a fundamental subproblem in our robust polyhedral decomposition algorithm [2] as well as in the algorithms of [4] and [12].

Problem: Let ρ be a set of m simple polygons $P_i, i = 1, \dots, m$. Corresponding to each polygon P_i we define $ancestor(P_i)$ as the set of polygons containing P_i . The polygon P_k in $ancestor(P_i)$ is called the parent of P_i if $ancestor(P_k) = ancestor(P_i) - P_i$. Notice that there may not exist any such P_k since $ancestor(P_i)$ may be empty. In that case we say that the parent of P_i be null. Any polygon whose parent is P_k is called the child of P_k . See Figure 1.1. The nesting structure G of ρ is an acyclic directed graph (A forest of trees) in which there is a node n_i , corresponding to each polygon P_i in ρ , and there is a directed edge from a node n_i to n_j iff P_j is the parent of P_i . The polygon nesting problem is to compute the nesting structure of a set of simple nonintersecting polygons.

Related Work: In [4] Chazelle gives an $O(n \log n)$ algorithm to detect the outermost polygons and their children, given a set of simple nonintersecting polygons with n vertices. However his algorithm does not compute the nesting structure of the given set of polygons.

Results: In section 3 we give an algorithm which computes the polygon nesting structure in $O(n + (m + N) \log(m + N))$ time where n is the total number of vertices in m polygons and N is the total number of notches. Since in practice m and N are much less than n , this algorithm runs much faster than any $O(n \log n)$ algorithm. In section 4 we give a robust algorithm for the same problem restricted to a class of polygons called fleshy polygons. Our robust algorithm has a worst-case time bound of $O(n(\log n + m + N) + m^3)$.

2 Preliminaries

Definitions: Let P be a simple polygon with vertices v_1, v_2, \dots, v_n in clockwise order. A vertex v_i is a notch of P if the inner angle between the edge (v_{i-1}, v_i) and (v_i, v_{i+1}) is $> 180^\circ$. Between any two consecutive notches v_i, v_j in the clockwise order, the sequence of vertices $(v_i, v_{i+1}, \dots, v_j)$ is called a *convex polygonal-line*. Each polygonal-line can be partitioned into *convex-chains*, which are maximal pieces of a polygonal-line, with the property that its vertices form a convex polygon. Each convex-chain can be further partitioned into at most three x -monotone maximal pieces called *subchains*, i.e., vertices of a subchain have x -coordinates in either strictly increasing or decreasing order. See Figure 2.1.

A vertex or an edge is said to lie inside a polygon if it completely lies inside the polygonal region restricted by the boundary of the polygon. A vertex or an edge is said to be contained in a polygon if it lies on the boundary of the polygon.

Let L be a line drawn through a set of polygons. Let E be the set of edges which intersect L in the following two ways. An edge e in E either properly intersects L (i.e. two vertices of e lies on the opposite sides of L) or e intersects L at a vertex and the other vertex of e lies to the right of L . The third possible case of e intersecting L is ignored as the information related to that edge would already be recorded in a plane sweep. Finally, degenerate intersection (e is collinear with L) is handled in section 3.

An edge e_1 in E is said to be "above" the edge e_2 in E if the point of intersection of L and e_1 lies above the point of intersection of L and e_2 . If e_1 and e_2 have a common vertex through which L passes, e_1 is "above" e_2 if the other vertex of e_1 lies above the line containing e_2 . L induces a total order R on the edges in E with respect to the "above" relation. If L passes through a vertex v_i , we define $above(v_i)$ as the set of edges whose point of intersection with L is above v_i . The lowest edge in $above(v_i)$ is called the neighbor of v_i . Between v_i and its neighbor there is no other edge intersecting L . See Figure 1.1 and 3.2. Note that there may not exist any neighbor of v_i since $above(v_i)$ may be empty.

^{*}Supported in part by NSF Grant MIP 88-16286, ARO Contract DAAG29-85-C0018 under Cornell MSI and ONR contract N00014-88-K-0402.

[†]Supported in part by a David Ross Fellowship.

Order R naturally extends to another order O of subchains associated with the edges in R . If edges e_1, e_2 of subchains C_1 and C_2 are intersected by L , then C_1 is "above" C_2 if the point of intersection of L and e_1 is above the point of intersection of L and e_2 .

Lemma 2.1: Let P be a simple polygon with N_p notches. No line can intersect P in more than $\max(1, 2N_p)$ segments or $\max(2, 2N_p + 1)$ points.

Proof: See [2].

Lemma 2.2: Let P be a simple polygon with N_p notches. The number of subchains S_p in P is bounded as $S_p \leq 6(1 + N_p)$.

Proof: See [2].

Lemma 2.3: Let L be any line through a vertex v_i of a polygon P_i . Let the edge e be the neighbor of v_i . Parent of P_i is either the polygon P_j containing e or P_j 's parent (possibly null).

Proof: If the neighbor edge e of v_i is an edge of P_j , which is a parent of P_i , the lemma holds trivially. Suppose the neighbor edge e of v_i is an edge of P_j which is not the parent of P_i . We claim that v_i lies inside polygon P_ℓ iff e lies inside it. Suppose e lies inside P_ℓ and v_i does not. Then the region between v_i and e on L contains a part which is outside P_ℓ . Hence there must be an edge of P_ℓ between e and v_i on L . But this is impossible since e is the neighbor edge of v_i . Similarly, we can argue that if v_i lies inside polygon P_ℓ , so does e . Hence e lies inside the same set of polygons, within which v_i lies. Hence if P_k is the parent of P_i it is a parent of P_j and vice versa. ♣

Lemma 2.4: Let L be any line passing through v_i of P_i . v_i is contained in the polygon $P_{k, k \neq i}$ iff the number of edges of P_k which are in *above*(v_i) is odd.

Proof: Since any edge demarks the region which is "inside polygon P" and "outside polygon P" on L the above proposition is obvious. ♣

Lemma 2.5: Let L be any line passing through v_i of P_i . Let edge e of polygon P_k be the neighbor of v_i on L . If the number of edges of P_k in *above*(v_i) is odd and $k \neq i$ then P_k is the parent of P_i . Otherwise, P_k 's parent (possibly null) is the parent of P_i .

Proof: Combine Lemma 2.3 and Lemma 2.4. ♣

3 Polygon Nesting Structure

Plane Sweep: Each polygon P_i consists of subchains $C_{i1}, C_{i2}, \dots, C_{ik}$. We sweep a line L in the plane through all the polygons, while maintaining the ordering O of the subchains C induced by L . To maintain this ordering we stop only at the endpoints of the subchains, while sweeping say from left to right. We break all the boundaries of the polygons into subchains in no more than $O(n)$ time where n is the total number of vertices of all the polygons. We sort only the endpoints of all the subchains on a line perpendicular to L . At each subchain endpoints we update the ordering O as

follows.

Update at a Vertex: if v_i is a vertex such that both subchains C_1 and C_2 connected to v_i have not yet been encountered by the sweep line L , we insert C_1 and C_2 in the ordering O on L by a simple binary search. The search is based on a procedure for determining the position of v_i w.r.t. the edge intersected by L on a subchain C_i already present in the ordering O on L .

For the latter purpose, we keep a last visited edge associated with each subchain C_i in O , as we now detail. This is reminiscent of the topological sweep of [7]. Let the edge associated with C_i initially be e_1 , the first edge of the subchain C_i . We visit the sequence of edges e_1, e_2, \dots, e_k of C_i stopping at the first edge e_k which intersects L . We determine the "above" relation of v_i w.r.t. e_k and associate edge e_k with C_i . Later, when we need to classify any other vertex w.r.t. C_i we start from edge e_k . See Figure 3.1. Obviously, the edges e_2, \dots, e_{k-1} are visited only once, while e_1 and e_k are visited more than once throughout a sweep. Now, for each vertex-edge classification, there will be at most two edges similar to e_1 and e_k of a subchain which will be visited more than once. Since in the binary search for determining the position of a vertex in the order O , we encounter only $O(\log S)$ subchains (where S is the total number of subchains) there will be at most $O(\log S)$ edges, for each line position, which will be visited more than once. Hence, for each update at v_i (where we insert subchains) we visit t_i edges which are visited only once throughout the sweep and $O(\log S)$ edges which are visited more than once. If v_i is a vertex such that both subchains connected to v_i have been encountered then we delete both these subchains from the ordering O . This again takes at most $O(\log S)$ time. Hence the total time taken for all updates is $O\left(\sum_{i=1}^S t_i\right) + O(S \log S)$ where S is the total number of subchains and t_i is the number of edges visited, at each update, which is visited only once throughout the sweep. Certainly, $\sum_{i=1}^S t_i = O(n)$ where n is the total number of vertices. Hence updates take $O(n) + O(S \log S)$ time.

Detecting parent of a polygon: At the vertex v_i of P_i , when we insert the subchains in the ordering O on L we determine the parent of P_i as follows. If parent of P_i has already been determined then we are done. If it has not we find the neighbor edge e of v_i on L (Actually, e is found while inserting the subchains connected to v_i). Let P_j be the polygon containing e on the boundary. We determine k , the number of edges or equivalently the number of subchains of the polygon P_j which are in *above*(v_i). Maintaining the ordering of subchains of each polygon separately, this number can be obtained in $O(\log S_i)$ time where S_i is the number of subchains in that polygon. If k is odd and $P_j \neq P_i$, we set P_j as the parent of P_i . Otherwise we set the parent of P_j to be the parent of P_i (Lemma 2.5). Certainly parent determination at each update add up to at most

$O(\log S)$ time.

Degenerate case: Degeneracy occurs when the sweep line L passes through more than one vertex, at any stop position of L . In these cases one or more than one edge may also be collinear with L . Let v_1, v_2, \dots, v_k be the ordered sequence (w.r.t "above" relation) of vertices through which L passes at any stop.

We process each v_i in the ordered sequence one after the other as follows. Let v_i be the vertex of polygon P . For v_i , we insert or delete the subchain which does not correspond to the edge collinear with L from the ordering O . Since the edge collinear with L does not demark any region on L as "in P " or "out P ", we should not insert that edge in the ordering O and in the ordering maintained separately for each polygon. So a degenerate edge does not affect the number of edges of P which would be in $above(v_j)$ for any v_j . See also Figure 3.2.

Algorithm:

Input: A set of m simple, nonintersecting polygons.

Output: A directed acyclic graph G , called the nesting structure, in which there is a directed edge from a node n_i corresponding to a polygon P_i to the node n_j corresponding to the polygon P_j iff P_j is the parent of P_i .

Step 1: Detect the endpoints of subchains in all polygons.

Step 2: Sort the x-coordinates of these endpoints. If two points have same x-coordinates, the one with higher y-coordinate is sorted before the other. Let this sorted sequence W be v_1, v_2, \dots, v_w .

Step 3: Create a node for each polygon in G . Enter two subchains, connected to the leftmost vertex of W , in the ordering O by inserting the two polygon edges connected to that vertex in O . Note O is initially empty.

Step 4: Sweep a pseudo-line from left to right, taking steps at each vertex v_i of W as follows. Let v_i be on the boundary of the polygon P_i . If both subchains connected to v_i have already been visited, delete them from the ordering O and skip steps from 4(a) to 4(d).

Step 4(a): Detect the position of v_i with respect to the subchains intersected by the sweep line. For this, carry out a binary search in the ordering O of these subchains. To detect the position of v_i with respect to a subchain C_i during binary search, find the edge e_1 of this subchain kept in O and then follow the linked sequence of edges e_1, e_2, \dots, e_k until the edge e_k is found which intersects L .

Step 4(b): Let e' of polygon P_j be the neighbor edge of v_i found by step 4(a). Determine the number k of subchains of P_j which are in $above(v_i)$. This is done by a similar binary search, as in step 4(a), in the ordering of subchains maintained separately for each polygon.

Step 4(c): Insert two subchains connected to v_i in O and in the ordering of subchains maintained for polygon P_i . In degenerate case, insert or delete the subchain which does not correspond to the edge, collinear with the sweep line, from O .

Step 4(d): If k is odd, then create a directed edge in the nesting structure from the node n_i corresponding to the polygon P_i , to the node n_j corresponding to the polygon P_j . If k is even, create a directed edge from n_i to the node n_k (if any), to which n_j is connected through a directed edge.

Theorem 2.1: The problem of polygon nesting for m polygons can be solved in $O(n + (m + N)\log(m + N))$ time where n is the total number of vertices and N is the total number of notches of all polygons.

Proof: Detecting the endpoints of the subchains takes $O(n)$ time. Sorting these endpoints requires $O(S\log S)$ time. Updating and determining parent takes $O(n + S\log S)$ time. Hence, computing the nesting structure for all polygons takes $O(n + S\log S)$ time. By lemma 2.2, S , the total number of subchains is bounded as $S \leq 6(m + N)$ where m is the total number of polygons and N is the total number of notches. Hence, total time spent is $O(n + (m + N)\log(m + N))$.

4 Robustness under Finite Precision Arithmetic

In the algorithm given in the previous section we assumed arbitrary precision arithmetic in all our computations. In this section we give an algorithm for polygon nesting problem which is robust in that it never fails due to finite precision arithmetic. It correctly yields the nesting structure of a set of simple nonintersecting polygons, possessing a minimum feature with respect to their "skinniness".

We first assume that all our polygons are bounded by a square box, $-B < x < B$ and $-B < y < B$. We define a polygon P to be "fleshy" if there is a point inside P such that a square with center (intersection of square's diagonals) at that point and with sides of length $28\epsilon B$ lies inside P . Here, ϵ is machine precision. In our implementation we set $B = 2^{16}$, $\epsilon = 2^{-24}$. Hence the area of the square is $784 * 2^{-16}$. The polygons which are not fleshy are thus extremely skinny for most practical purposes.

Related Work: Robust computations under finite precision arithmetic have recently taken added importance because of the increasing use of geometric manipulations in computer-aided design, and solid modeling, see for e.g. [3]. Edelsbrunner and Mücke [6], and Yap [17], suggest using expensive symbolic perturbation techniques for handling geometric degeneracies. Sugihara and Iri [16], and Dobkin and Silver [5], describe an approach to achieving consistent computations in solid modeling, by ensuring that computations are carried out with sufficiently higher precision than used for representing the numerical data. There are drawbacks however, as high precision routines are needed for all primitive numerical computations, making algorithms highly machine dependent. Furthermore, the required

precision for calculations is difficult to a priori estimate for complex problems. Segal and Sequin [14] require estimating various numerical tolerances, tuned to each computation, to maintain consistency. Milenkovic [13] presents techniques for computing the output for a modified input which preserves some basic topological constraints. Green and Yao [9] present a method for drawing line segment arrangements on a discrete grid which alters the input symbolic data. Hoffmann, Hopcroft and Karasick [11], and Karasick [12], propose using geometric reasoning and apply it to the problem of polyhedral intersections, however fail to provide a proof of correctness. Sugihara [15] uses geometric reasoning to avoid redundant decisions, which lead to topological inconsistency, in the construction of planar Voronoi diagrams. Guibas, Salesin and Stolfi [10] propose a framework of computations called ϵ -geometry, in which they compute an exact solution for a perturbed version of the input. So does Fortune [8] who applies it to the problem of triangulating a planar point set. In this paper we use the methods of topological reasoning with a minimum feature assumption on the skinniness of the polygons.

Assumptions and Definitions: A binary predicate *CONT* is defined as $CONT(P_1, P_2)$ iff P_1 contains P_2 . $NOT(CONT(P_1, P_2))$ denotes the negation of $CONT(P_1, P_2)$. A point p_1 is said to be vertically visible from another point p_2 if the vertical line through p_2 also passes through p_1 and the vertical segment between p_1 and p_2 does not intersect any other edge. Similarly, we define an edge to be vertically visible from a point p_1 if the vertical line through p_1 intersects the edge and does not intersect any other edge in between.

The numerical computations in our algorithm are carried out in two places.

1. Sorting the vertices:

Sorting can be carried out without any error as the comparison of two floating point numbers is exact to within machine precision. (This is true on most of the machines available today). Here we assume that given input data (coordinates of polygon vertices) is accurate.

2. Computing the points of intersection of a vertical sweep line with the edges:

In Lemma 3.1 we will develop a bound on the maximum error which can occur during this computation. Actually, this bound leads us to the estimate of a square box with side $28\epsilon B$, to define a fleshy polygon.

Results: We present a robust algorithm for computing the nesting structure of a set of simple, nonintersecting, fleshy polygons. Our algorithm runs in $O(n(m + N + \log n) + m^3)$ time.

Lemma 3.1: Given an edge e between two vertices $v_1 = (x_1, y_1)$ and $v_2 = (x_2, y_2)$, and a vertical line in-

tersecting e at a point p , the absolute error e_{abs} in the computed position of p is bounded as $e_{abs} < 7\epsilon B$, where ϵ is the machine precision and B is the largest value of any of the coordinates.

Proof: Let us consider a vertical line $x = x_0$ which intersects e at p . Obviously, x coordinate of p is x_0 . Let the y coordinate of p be y_0 and y_c be the computed value of y_0 . By simple geometry,

$$\frac{x_2 - x_1}{x_0 - x_1} = \frac{y_2 - y_1}{y_0 - y_1}$$

$$y_0 = \frac{(y_2 - y_1)(x_0 - x_1)}{x_2 - x_1} + y_1$$

With finite precision the computed value y_c of y_0 is given by

$$y_c = \frac{(y_2 - y_1)(x_0 - x_1)(1 + \epsilon^*)}{(x_2 - x_1)} + y_1(1 + \epsilon_6)$$

where $(1 + \epsilon^*) = \frac{(1 + \epsilon_1)(1 + \epsilon_2)(1 + \epsilon_4)(1 + \epsilon_5)(1 + \epsilon_n)}{(1 + \epsilon_3)}$ and $|\epsilon_i| \leq \epsilon$. Let $t_0 = \frac{(y_2 - y_1)(x_0 - x_1)}{x_2 - x_1}$. We can write

$$y_c = t_0(1 + \epsilon^*) + y_1(1 + \epsilon_6)$$

$$y_c - y_0 = t_0\epsilon^* + y_1\epsilon_6$$

$$e_{abs} \leq |t_0\epsilon^*| + |y_1\epsilon_6|$$

Neglecting higher order terms in ϵ_i we get $|\epsilon^*| \leq 6\epsilon$. Since $\left|\frac{x_0 - x_1}{x_2 - x_1}\right| < 1$, we have

$$|t_0| < |y_2 - y_1|$$

$$|t_0| < B$$

$$e_{abs} < 6\epsilon B + \epsilon B$$

$$e_{abs} < 7\epsilon B$$

Lemma 3.2: Given two simple, nonintersecting polygons P_1, P_2 it can be correctly determined if one of the predicates $NOT(CONT(P_1, P_2))$ or $NOT(CONT(P_2, P_1))$ is true by checking the leftmost vertices of P_1 and P_2 .

Proof: Let $v_1 = (x_1, y_1)$, $v_2 = (x_2, y_2)$ be two leftmost vertices of P_1 and P_2 respectively. Certainly, $x_1 < x_2$ implies $NOT(CONT(P_2, P_1))$ and $x_1 > x_2$ implies $NOT(CONT(P_1, P_2))$. Furthermore, $x_1 = x_2$ implies $NOT(CONT(P_1, P_2))$ and $NOT(CONT(P_2, P_1))$, since P_1 and P_2 are simple nonintersecting polygons.

Lemma 3.3: Given a set of simple, fleshy, nonintersecting polygons in plane, there is a vertex v of each polygon P , such that even with finite precision arithmetic, all ancestors of P can be correctly determined by computing the intersection points of polygon edges with a vertical line passing through v .

Proof: Consider a simple, fleshy, polygon P (Figure 4.1). By definition, there is a point q inside P such that a square box $abcd$ with side of $28\epsilon B$ and with center q lies inside P . Consider two vertical lines L_1, L_2

coinciding with two sides of the square as shown in the Figure 4.1.

Case(i): There is a vertex v of P within the two vertical lines. W.l.o.g, v can be assumed to be above ab . Consider a vertical line L passing through v . Let L intersect the line passing through q and parallel to ab at q' . The set of intersecting points of the edges of the polygons with this vertical line can be partitioned into three sets $I_{above(v)}$, $I_{close(v)}$, $I_{below(v)}$ based on the closeness of intersecting points to v . $I_{above(v)}$ is the set of all points of intersection whose distance from v is greater than equal to $14\epsilon B$ and which are above v . Similarly, define $I_{below(v)}$. The rest of the points of intersection constitute $I_{close(v)}$. Corresponding to each set $I_{above(v)}$, $I_{below(v)}$, $I_{close(v)}$, we define $E_{above(v)}$, $E_{below(v)}$, $E_{close(v)}$ as the set of edges on which those points of intersection lie.

Let s be the point of intersection of L with the edge of P which is vertically visible from q' and which below cd . Any polygon containing P cannot have an edge intersecting L in between v and q' and q' and s . Since the distance between v and s must be greater than equal to $28\epsilon B$, the computed distance between them must be at least $21\epsilon B$. Hence, s cannot be in $I_{close(v)}$. For any polygon P_i , let $K_{above(v)}^i$, $K_{close(v)}^i$, $K_{below(v)}^i$ be the number of edges of P_i in $E_{above(v)}$, $E_{close(v)}$, $E_{below(v)}$ respectively. Polygon P_i contains the portions of L which is in between $I_{close(v)}$ and $I_{below(v)}$ iff $K^i = K_{above(v)}^i + K_{close(v)}^i$ is odd. This portion also lies in P . Hence, if K^i is odd either P contains P_i or P_i contains P . But using Lemma 3.2 one of these two possibilities is omitted by checking the leftmost vertex of each polygon. Hence, it can be determined correctly whether P_i is an ancestor of P or not.

Case(ii): There is no vertex v which lies in between two vertical lines L_1 and L_2 . In this case, only two edges of P will be vertically visible from q . Let these two edges be e_1 , e_2 as shown in Figure 4.1(b). Let r (resp.) be the first vertex which is hit by a vertical line L if we sweep L from the position of L_2 (L_1 resp.) to right(left resp.). Consider a vertical line through r which intersects e_1 and e_2 at b' and c' respectively. Similarly, consider the vertical line through l which intersects e_1 and e_2 at a' and d' respectively. Certainly, the quadrilateral $a'b'c'd'$ lies inside P . Since $abcd$ lies inside $a'b'c'd'$, one of the edges $b'c'$ and $a'd'$ must be greater than equal to $28\epsilon B$. W.l.o.g let us assume $b'c'$ is that edge. Certainly, r is at a distance of at least $14\epsilon B$ either from b' or c' . W.l.o.g let us assume the distance between r and c' is greater than equal to $14\epsilon B$. Following the same logic as in Case (i) we can determine the ancestors of P by counting the number of edges in $E_{above(r)}^i$ and $E_{close(r)}^i$ for each polygon P_i .

Algorithm:

Input : A set of simple, nonintersecting, fleshy polygons.

Output: A acyclic directed graph, called the nesting structure, in which each node n_i represent a polygon P_i . There is a directed edge from n_i to n_j iff P_j is the parent of P_i .

Step 1: Sort the vertices of the polygons on the x axis. Let this sorted sequence be v_1, v_2, \dots, v_n .

Step 2: Sweep a vertical line from left to right taking the following steps at each vertex v_i .

Step 2(a): Let P be the polygon having v_i on the boundary and E be the set of edges which were intersected by L when the sweep line stopped at v_{i-1} . Compute the intersection point of L with each edge in E . Construct the sets $E_{above(v_i)}$, $E_{close(v_i)}$, $E_{below(v_i)}$ for v_i .

Step 2(b): Count the number of edges of P in $E_{above(v_i)}$ and $E_{close(v_i)}$. If this number is odd then take step 2(c) otherwise skip 2(c).

Step 2(c): For each polygon P_i intersected by L count the number of edges in $E_{above(v_i)}^i$ and $E_{close(v_i)}^i$. Compute $K^i = E_{above(v_i)}^i + E_{close(v_i)}^i$. If K^i is odd, then check the leftmost vertices of P_i and P to determine whether $NOT(CONT(P_i, P))$ or $NOT(CONT(P, P_i))$. If $NOT(CONT(P, P_i))$ then create a directed edge from the node corresponding to P to the node corresponding to P_i in the nesting structure. Note that this will create a directed edge from n_i to n_j iff P_j is an ancestor(not merely parent) of P_i . This nesting structure is refined in *Step 3*.

Step 2(d): If v_i is a vertex such that both edges adjacent to v_i were not in E , then include them in E . If v_i is a vertex such that both edges adjacent to it were in E , then delete them from E . If v_i is a vertex such that one of the edges were in E then delete that edge from E and include the other edge adjacent to v_i in E .

Step 3: In the nesting structure computed by *Step 2(c)* determine the longest path from each node n_i to every other node. If no node is reachable from n_i then parent of the corresponding polygon P_i is *null*. Otherwise, the polygon P_j , corresponding to the node n_j with the longest path length of 1, is the parent of P_i .

Time Analysis: *Step 1* takes $O(n \log n)$ time. Since a vertical line intersects at most $O(m + N)$ edges (Lemma 2.1), *Step 2* takes $O(m + N)$ time for each stop while sweeping. Hence, total time spent for *Step 2* is $O(n(m + N))$. The longest path determination in step 3 for each node takes $O(m^2)$. Since the underlying graph of the nesting structure with m nodes is directed and acyclic, we can apply the well known Dijkstra's shortest path algorithm (See for e.g. [1]) with negative weight of -1 on every edge, to determine the longest path from a source to every other node. Hence, *step 3* takes $O(m^3)$ time for m nodes. Combining these, the time complexity T of the robust algorithm for polygon nesting of a set of simple, nonintersecting, fleshy polygons is given by, $T = O(n \log n + n(m + N) + m^3) = O(n(\log n + m + N) + m^3)$.

References

- [1] Aho, A.,V., Hopcroft, J.,E., Ullman, J.,D., "The Design and Analysis of Computer Algorithms", Addison-Wesley.
- [2] Bajaj, C., and Dey, T., (1989) "Robust Decompositions of Polyhedra", Proc. of the 9th. Conference on FST and TCS, Bangalore, India, to appear. Also,see Computer Science Technical Report, CAPO-88-44, Purdue University
- [3] Bajaj, C., (1989) "Geometric Modeling with Algebraic Surfaces", *The Mathematics of Surfaces III*, edited by D. Handscomb, Oxford University Press, to appear.
- [4] Chazelle, B., (1984), "Convex Partitions of Polyhedra: A Lower Bound and Worst-case Optimal Algorithm", *SIAM J. on Computing*, Vol. 13, No. 3, pp. 488-507.
- [5] Dobkin, D., and Silver, D., (1988), "Recipes for Geometry and Numerical Analysis", *Proc. of the Fourth ACM Symposium on Computational Geometry*, Urbana, Illinois, 93 - 105.
- [6] Edelsbrunner, H., and Mucke, P., (1988), "Simulation of Simplicity: A Technique to Cope with Degenerate Cases in Geometric Algorithms" *Proc. of the Fourth ACM Symposium on Computational Geometry*, Urbana, Illinois, 118-133.
- [7] Edelsbrunner, H., and Guibas, L., (1989) "Topologically Sweeping an Arrangement", *J. of Computer and System Sciences*, 38, 165 - 194.
- [8] Fortune, S., (1989) "Stable Maintenance of Point-set Triangulations in Two Dimensions", Manuscript.
- [9] Greene, D., and Yao, F., (1986), "Finite-Resolution Computational Geometry" *Proc. 27th IEEE Symposium on Foundations of Computer Science*, Toronto, Canada, 143-152.
- [10] Guibas, L., Salesin, D., and Stolfi, J., (1989) "Building Robust Algorithms from Imprecise Computations", *Proc. 1989 ACM Symposium on Computational Geometry*, Saarbuchen, West Germany, 208- 217.
- [11] Hoffmann, C., Hopcroft, J., and Karasick, M., (1987), "Robust Set Operations on Polyhedral Solids", Dept. of Computer Science, Cornell University, Technical Report 87-875.
- [12] Karasick, M., (1988) "On the Representation and Manipulation of Rigid Solids", Ph.D. Thesis, McGill University.
- [13] Milenkovic, V., (1988), "Verifiable Implementations of Geometric Algorithms Using Finite Precision Arithmetic", Ph.D. Thesis, CMU Tech. Report CS-88-168, Carnegie Mellon Univ., Pittsburgh.
- [14] Segal, M., and Sequin, C., (1985), "Consistent Calculations for Solid Modeling", *Proc. of the First ACM Symposium on Computational Geometry*, 29 - 38.
- [15] Sugihara, K., (1988), "A Simple Method of Avoiding Numerical errors and Degeneracy in Voronoi diagram Constructions", Research Memorandum RMI 88-14, Department of Mathematical Engineering and Instrumentation Physics, Tokyo University.
- [16] Sugihara, K., and Iri, M., (1989), "A Solid Modeling System Free from Topological Consistency", Research Memorandum RMI 89-3, Department of Mathematical Engineering and Instrumentation Physics, Tokyo University.
- [17] Yap, C., (1988) "A Geometric Consistency Theorem for a Symbolic Perturbation Theorem" *Proc. of the Fourth ACM Symposium on Computational Geometry*, Urbana, Illinois, 134-142.




Figure 1.1

Above(u) = {e₁, e₂, e₃, e₄}
 neighbor(u) = e₄
 Parent of P₃ = P₂, Parent of P₅ = Null
 Ancestor of P₃ = {P₁, P₂}




Figure 2.1

v₁, ..., v₇ is a convex polygonal line.
 v₈, ..., v₁₂ is a convex chain.
 v₂, ..., v₇ is a subchain.




Figure 3.1(a)

e₁ is kept with C₂ before the stop at v_i.




Figure 3.1(b)

e₄ is kept with C₂ after computing position of v_i with respect to C₂.




Figure 3.2

above(v₄) = {e₁, e₂, e₃, e₄}
 e₅ is a degenerate case.




Figure 4.1 (a)
Case (i)




Figure 4.1 (b)
Case (ii)