




# Subdivision surfaces





# Reading

---

- Recommended:


- Stollnitz, DeRose, and Salesin. *Wavelets for Computer Graphics: Theory and Applications*, 1996, section 10.2.



# Building complex models

---

We can extend the idea of subdivision from curves to surfaces...






# Subdivision surfaces

- Chaikin's use of subdivision for curves inspired similar techniques for subdivision surfaces.
- Iteratively refine a **control polyhedron** (or **control mesh**) to produce the limit surface

$$\sigma = \lim_{j \rightarrow \infty} M^j$$


using splitting and averaging steps.






# Triangular subdivision

- There are a variety of ways to subdivide a polygon mesh.
- A common choice for triangle meshes is 4:1 subdivision – each triangular face is split into four subfaces:



Original




After splitting




# Loop averaging step

- Once again we can use **masks** for the averaging step:



Vertex neighborhood



Averaging mask

- where


$$\mathbf{Q} \leftarrow \frac{\alpha(n)\mathbf{Q} + \mathbf{Q}_1 + \dots + \mathbf{Q}_n}{\alpha(n) + n} \quad \alpha(n) = \frac{n(1 - \beta(n))}{\beta(n)} \quad \beta(n) = \frac{5}{4} - \frac{(3 + 2\cos(2\pi/n))^2}{32}$$

- These values, due to Charles Loop, are carefully chosen to ensure smoothness – namely, tangent plane or normal continuity.
- Note: tangent plane continuity is also known as  $G^1$  continuity for surfaces.



# Loop evaluation and tangent masks

- As with subdivision curves, we can split and average a number of times and then push the points to their limit positions.



$$\mathbf{Q}^\infty = \frac{\varepsilon(n)\mathbf{Q} + \mathbf{Q}_1 + \cdots + \mathbf{Q}_n}{\varepsilon(n) + n}$$

$$\mathbf{T}_1^\infty = \tau_1(n)\mathbf{Q}_1 + \tau_2(n)\mathbf{Q}_2 + \cdots + \tau_n(n)\mathbf{Q}_n$$

$$\mathbf{T}_2^\infty = \tau_n(n)\mathbf{Q}_1 + \tau_1(n)\mathbf{Q}_2 + \cdots + \tau_{n-1}(n)\mathbf{Q}_n$$

- where  $\varepsilon(n) = \frac{3n}{\beta(n)}$      $\tau_i(n) = \cos(2\pi i/n)$

- How do we compute the normal?



# Recipe for subdivision surfaces

---


- As with subdivision curves, we can now describe a recipe for creating and rendering subdivision surfaces:
  - Subdivide (split+average) the control polyhedron a few times. Use the averaging mask.
  - Compute two tangent vectors using the tangent masks.
  - Compute the normal from the tangent vectors.
  - Push the resulting points to the limit positions. Use the evaluation mask.
  - Render!






# Adding creases without trim curves


- In some cases, we want a particular feature such as a crease to be preserved. With NURBS surfaces, this required the use of trim curves.
- For subdivision surfaces, we can just modify the subdivision mask:



- This gives rise to  $G^0$  continuous surfaces (i.e., having positional but not tangent plane continuity)



(a-d) Loop's subdivision scheme: control mesh, meshes after 1 and 2 subdivision steps, and smooth limit surface



(e-h) Our piecewise smooth subdivision scheme: tagged control mesh, meshes after 1 and 2 subdivision steps, and piecewise smooth limit surface



## Creases without trim curves, cont.


- Here's an example using Catmull-Clark surfaces (based on subdividing quadrilateral meshes):






# Face schemes

- 4:1 subdivision of triangles is sometimes called a **face scheme** for subdivision, as each face begets more faces.
- An alternative face scheme starts with arbitrary polygon meshes and inserts vertices along edges and at face centroids:



- **Catmull-Clark subdivision:**



- Note: after the first subdivision, all polygons are quadrilaterals in this scheme.



# Subdivision = tensor-product patches!

---

- For a regular quadrilateral mesh, Catmull-Clark subdivision produces the same surface as tensor-product cubic B-splines!
- But – it handles irregular meshes as well.


There are similar correspondences between other subdivision schemes and other tensor-product patch schemes.

These correspondences can be proven (but we won't do it...)




# Vertex schemes

- In a **vertex scheme**, each vertex begets more vertices. In particular, a vertex surrounded by  $n$  faces is split into  $n$  sub-vertices, one for each face:




Original



After splitting

- **Doo-Sabin subdivision:**




- The number edges (faces) incident to a vertex is called its **valence**. Edges with only once incident face are on the **boundary**. After splitting in this subdivision scheme, all non-boundary vertices are of valence 4.



# Interpolating subdivision surfaces

- Interpolating schemes are defined by
  - splitting
  - averaging only new vertices
- The following averaging mask is used in **butterfly subdivision**:



- Setting  $t=0$  gives the original polyhedron, and increasing small values of  $t$  makes the surface smoother, until  $t=1/8$  when the surface is provably  $G^1$ .

There are several variants of Butterfly subdivision.



# Next class: Projections & Z-Buffers

---

## ■ Topics:

- How do projections from 3D world to 2D image plane work?
- How does the Z-buffer visibility algorithm (used in today's graphics hardware) work?

## Read:

- Watt, Section 5.2.2 – 5.2.4, 6.3, 6.6 (esp. intro and subsections 1, 4, and 8–10)

## Optional:

- Foley, et al, Chapter 5.6 and Chapter 6
- David F. Rogers and J. Alan Adams, Mathematical Elements for Computer Graphics, 2nd Ed., McGraw-Hill, New York, 1990, Chapter 2.
- I. E. Sutherland, R. F. Sproull, and R. A. Schumacker, [A characterization of ten hidden surface algorithms](#), ACM Computing Surveys 6(1): 1-55, March 1974.