

# **CS343**

# **Artificial Intelligence**

**Prof: Peter Stone**

Department of Computer Science  
The University of Texas at Austin

# Good Morning, Colleagues

---

# Good Morning, Colleagues

---

Are there any questions?

# Logistics

---

- Final

# Logistics

---

- Final
- Stephanie Tellex talk tomorrow

# Logistics

---

- Final
- Stephanie Tellex talk tomorrow
- Multiagent assignment questions?

# Search Assignment

---

- Question 6 – 692 nodes (10 way tie)

# Search Assignment

---

- Question 6 – 692 nodes (10 way tie)
- Question 7 – 6866 nodes Cody Freitag;



# Search Assignment

---

- Question 6 – 692 nodes (10 way tie)
- Question 7 – 6866 nodes Cody Freitag; 6711 nodes Robert Perce;

# Search Assignment

---

- Question 6 – 692 nodes (10 way tie)
- Question 7 – 6866 nodes Cody Freitag; 6711 nodes Robert Perce; 6285 nodes Nicholas Moreles\*

# Search Assignment

---

- Question 6 – 692 nodes (10 way tie)
- Question 7 – 6866 nodes Cody Freitag; 6711 nodes Robert Perce; 6285 nodes Nicholas Moreles\*
- Contest
  - Mark Mansi: Score - 2380

# Search Assignment

---

- Question 6 – 692 nodes (10 way tie)
- Question 7 – 6866 nodes Cody Freitag; 6711 nodes Robert Perce; 6285 nodes Nicholas Moreles\*
- Contest
  - Mark Mansi: Score - 2380
  - Matt Swarthout: Score - 2408

# Search Assignment

---

- Question 6 – 692 nodes (10 way tie)
- Question 7 – 6866 nodes Cody Freitag; 6711 nodes Robert Perce; 6285 nodes Nicholas Moreles\*
- Contest
  - Mark Mansi: Score - 2380
  - Matt Swarthout: Score - 2408
  - Tianyu Cheng: Score - 2416

# Search Assignment

---

- Question 6 – 692 nodes (10 way tie)
- Question 7 – 6866 nodes Cody Freitag; 6711 nodes Robert Perce; 6285 nodes Nicholas Moreles\*
- Contest
  - Mark Mansi: Score - 2380
  - Matt Swarthout: Score - 2408
  - Tianyu Cheng: Score - 2416
  - Liam Eagen: Score - 2418

# Search Assignment

---

- Question 6 – 692 nodes (10 way tie)
- Question 7 – 6866 nodes Cody Freitag; 6711 nodes Robert Perce; 6285 nodes Nicholas Moreles\*
- Contest
  - Mark Mansi: Score - 2380
  - Matt Swarthout: Score - 2408
  - Tianyu Cheng: Score - 2416
  - Liam Eagen: Score - 2418

# Some Context

---

- **First weeks:** search (BFS, A\*, minimax, alpha-beta)
  - Find an optimal plan (or solution)



# Some Context

---

- **First weeks:** search (BFS, A\*, minimax, alpha-beta)
  - Find an optimal plan (or solution)
  - Best thing to do from the current state
  - Assume we know transition function and cost (reward) function

# Some Context

---

- **First weeks:** search (BFS, A\*, minimax, alpha-beta)
  - Find an optimal plan (or solution)
  - Best thing to do from the current state
  - Assume we know transition function and cost (reward) function
  - Either execute complete solution (deterministic) or search again at every step

# Some Context

---

- **First weeks:** search (BFS, A\*, minimax, alpha-beta)
  - Find an optimal plan (or solution)
  - Best thing to do from the current state
  - Assume we know transition function and cost (reward) function
  - Either execute complete solution (deterministic) or search again at every step
- **This week:** MDPs —

# Some Context

---

- **First weeks:** search (BFS, A\*, minimax, alpha-beta)
  - Find an optimal plan (or solution)
  - Best thing to do from the current state
  - Assume we know transition function and cost (reward) function
  - Either execute complete solution (deterministic) or search again at every step
- **This week:** MDPs — towards reinforcement learning

# Some Context

---

- **First weeks:** search (BFS, A\*, minimax, alpha-beta)
  - Find an optimal plan (or solution)
  - Best thing to do from the current state
  - Assume we know transition function and cost (reward) function
  - Either execute complete solution (deterministic) or search again at every step
- **This week:** MDPs — towards reinforcement learning
  - Still know transition and reward function

# Some Context

---

- **First weeks:** search (BFS, A\*, minimax, alpha-beta)
  - Find an optimal plan (or solution)
  - Best thing to do from the current state
  - Assume we know transition function and cost (reward) function
  - Either execute complete solution (deterministic) or search again at every step
- **This week:** MDPs — towards reinforcement learning
  - Still know transition and reward function
  - Looking for a **policy** — optimal action from every state

# Some Context

---

- **First weeks:** search (BFS, A\*, minimax, alpha-beta)
  - Find an optimal plan (or solution)
  - Best thing to do from the current state
  - Assume we know transition function and cost (reward) function
  - Either execute complete solution (deterministic) or search again at every step
- **This week:** MDPs — towards reinforcement learning
  - Still know transition and reward function
  - Looking for a **policy** — optimal action from every state
- **Next week:** Reinforcement learning

# Some Context

---

- **First weeks:** search (BFS, A\*, minimax, alpha-beta)
  - Find an optimal plan (or solution)
  - Best thing to do from the current state
  - Assume we know transition function and cost (reward) function
  - Either execute complete solution (deterministic) or search again at every step
- **This week:** MDPs — towards reinforcement learning
  - Still know transition and reward function
  - Looking for a **policy** — optimal action from every state
- **Next week:** Reinforcement learning
  - Optimal policy without knowing transition or reward function



# Pending Questions

---

- episodic -> continuous?
- stationary policy vs. prefs?
- optimal policy independent of start - requires discount?  
Or just inf H?
- What makes a policy proper?
- Who imposes finite H?
- What if  $|S|$  is too large?
- VI convergence?
- VI? PI? how choose?
- 17.10(c)
- How choose initial policy?
- Modified PI - lose optimality?