CS378 Autonomous Multiagent Systems Spring 2004

Prof: Peter Stone TA: Mazda Ahmadi

Department of Computer Sciences The University of Texas at Austin

Week 8a: Tuesday, March 9th

Good Afternoon, Colleagues

Are there any questions?





• Heterogeneous players exist





- Heterogeneous players exist
- Coach: 30 sec. interval; 5 sec. delay; CLANG





- Heterogeneous players exist
- Coach: 30 sec. interval; 5 sec. delay; CLANG
 - UvA base; UTAV base





- Heterogeneous players exist
- Coach: 30 sec. interval; 5 sec. delay; CLANG
 - UvA base; UTAV base
- Surveys due Thursday





- Heterogeneous players exist
- Coach: 30 sec. interval; 5 sec. delay; CLANG
 - UvA base; UTAV base
- Surveys due Thursday
- Next week's readings posted



Readings Overview – OASIS

- Concretization of BDI
 - Decision nodes, chance nodes ⇒ beliefs, desires, intentions trees pause
- Real time: assume significant changes to state can be determined instantaneously
 - No blind execution
 - No constant reevaluation



Readings Overview – OASIS

- Concretization of BDI
 - Decision nodes, chance nodes ⇒ beliefs, desires, intentions trees pause
- Real time: assume significant changes to state can be determined instantaneously
 - No blind execution
 - No constant reevaluation

Implemented in an airport!



Charles Su on BDI



General Domain Characteristics

- Non-deterministic (\Rightarrow beliefs)
- Action choices (\Rightarrow intentions)
- Multiple objectives, possibly incompatible (\Rightarrow desires)
- Environment determines best actions (\Rightarrow desires)
- Incomplete information (\Rightarrow beliefs)
- Dynamic world (\Rightarrow intentions)



General Domain Characteristics

- Non-deterministic (\Rightarrow beliefs)
- Action choices (\Rightarrow intentions)
- Multiple objectives, possibly incompatible (\Rightarrow desires)
- Environment determines best actions (\Rightarrow desires)
- Incomplete information (\Rightarrow beliefs)
- Dynamic world (\Rightarrow intentions)

Can't just use decision theory



Decision Theory

- Choice nodes: system gets to choose
- Chance nodes: environment selects randomly



Decision Theory

- Choice nodes: system gets to choose
- Chance nodes: environment selects randomly

Deliberation Functions

- Maximin: aim for a best, worst case
- Expected utility: aim for a best expected case



Decision Theory

- Choice nodes: system gets to choose
- Chance nodes: environment selects randomly

Deliberation Functions

- Maximin: aim for a best, worst case
- Expected utility: aim for a best expected case

Examples



Air-traffic Management

70–80 agents at a time



Air-traffic Management

70–80 agents at a time

- One agent per aircraft
- Sequencer
- Wind modeller
- Coordinator
- Trajectory checker



Air-traffic Management

70–80 agents at a time

- One agent per aircraft
- Sequencer
- Wind modeller
- Coordinator
- Trajectory checker

Keep schedule until complete or impossible



Beliefs: All possible wind velocities and trajectories



Beliefs: All possible wind velocities and trajectories

Desires: Pruned to only keep the right ETA



Beliefs: All possible wind velocities and trajectories

Desires: Pruned to only keep the right ETA

Intentions: Pruned further to keep only the best in terms of fuel consumption, etc.



- Proxy agents for meeting scheduling
- Activities within an individual research project
- Meeting planning with participants outside the organization



Challenges

- Adjustable autonomy
- Reliable information access
- Capability matching
- Agent coordination
- Scaling up to continual, reliable usability



• Adjustable autonomy motivated by CAP



- Adjustable autonomy motivated by CAP
- MDPs to choose to delay risky decisions



- Adjustable autonomy motivated by CAP
- MDPs to choose to delay risky decisions
- Capability characterization language
- Adaptive wrappers for info sources
- Data mining from publication records



- Adjustable autonomy motivated by CAP
- MDPs to choose to delay risky decisions
- Capability characterization language
- Adaptive wrappers for info sources
- Data mining from publication records
- STEAM to coordinate agents



- Adjustable autonomy motivated by CAP
- MDPs to choose to delay risky decisions
- Capability characterization language
- Adaptive wrappers for info sources
- Data mining from publication records
- STEAM to coordinate agents

Used continuously for several months





• Are we ready for free flight and automatic proxy agents?

