# CS394R Reinforcement Learning: Theory and Practice

**Amy Zhang and Peter Stone** 

Departments of ECE and CS
The University of Texas at Austin

## **Good Morning Colleagues**

• Are there any (logistics) questions?

• Programming assignment 3 due Sunday

- Programming assignment 3 due Sunday
- Continue towards final project proposal

- Programming assignment 3 due Sunday
- Continue towards final project proposal
- Grades so far visible in canvas

- Programming assignment 3 due Sunday
- Continue towards final project proposal
- Grades so far visible in canvas
- Midterm after spring break

- Programming assignment 3 due Sunday
- Continue towards final project proposal
- Grades so far visible in canvas
- Midterm after spring break
- Next week's readings

- Programming assignment 3 due Sunday
- Continue towards final project proposal
- Grades so far visible in canvas
- Midterm after spring break
- Next week's readings
  - Policy gradient methods

## Chapter 12 - Eligibility Traces

Another way to blend TD 

MC (other than n-step returns)

## Chapter 12 - Eligibility Traces

- Another way to blend TD 

  MC (other than n-step returns)
- Equally applicable in continuous and discrete settings

#### **Common Questions**

- When do we use online vs offline TD?
- Please discuss true online TD lambda further
- Please explain the relationship between the forward and backward views
- Why is  $TD(\lambda)$  an approximation of the off-line  $\lambda$ -return algorithm? Where is the approximation?

 How do we set the proper lambda (and other hyperparameters) for TD Learning?

- How do we set the proper lambda (and other hyperparameters) for TD Learning?
- Is it possible to combine the  $\lambda$  and  $\gamma$  parameters?

- How do we set the proper lambda (and other hyperparameters) for TD Learning?
- Is it possible to combine the  $\lambda$  and  $\gamma$  parameters?
- Please discuss pseudo-termination further

- How do we set the proper lambda (and other hyperparameters) for TD Learning?
- Is it possible to combine the  $\lambda$  and  $\gamma$  parameters?
- Please discuss pseudo-termination further
  - Predict quantities that aren't part of the problem

- How do we set the proper lambda (and other hyperparameters) for TD Learning?
- Is it possible to combine the  $\lambda$  and  $\gamma$  parameters?
- Please discuss pseudo-termination further
  - Predict quantities that aren't part of the problem
  - e.g. reward in 4 steps
  - number of steps to landmark